

<b>Top-level</b>		
<i>program</i>	→	<i>optional-newline module-calls statements</i>
<i>module-calls</i>	→	<i>module-call <b>newline</b> module-calls</i>
<i>module-calls</i>	→	
<i>module-call</i>	→	<b>CUM module-name</b>
<i>statements</i>	→	<i>statement <b>newline</b> statements</i>
<i>statements</i>	→	
<i>optional-newline</i>	→	<b>newline</b>
<i>optional-newline</i>	→	
<b>Statements</b>		
<i>statement</i>	→	<i>expression</i>
<i>statement</i>	→	<b>DESIGNA id</b> VT <i>expression</i>
<i>statement</i>	→	<b>DEFINI id</b> ( <i>optional-ids</i> ) <i>scope</i>
<i>statement</i>	→	<i>if-statement</i>
<i>statement</i>	→	<b>DVM expression</b> <b>FACE</b> <i>scope</i>
<i>statement</i>	→	<b>PER id</b> <b>IN</b> <i>expression</i> <b>FACE</b> <i>scope</i>
<i>statement</i>	→	<b>DONICVM id</b> VT <i>expression</i> <b>VSQVE expression</b> <b>FACE</b> <i>scope</i>
<i>statement</i>	→	<b>REDI</b> ( <i>optional-expressions</i> )
<i>statement</i>	→	<b>ERVMPE</b>
<i>if-statement</i>	→	<b>SI</b> <i>expression</i> <i>scope</i>
<i>if-statement</i>	→	<b>SI</b> <i>expression</i> <i>scope</i> <i>optional-newline else-statement</i>
<i>else-statement</i>	→	<b>ALVID</b> <i>scope</i>
<i>else-statement</i>	→	<b>ALVID</b> <i>if-statement</i>
<i>scope</i>	→	<i>optional-newline</i> { <b>newline statements</b> }
<b>Expressions</b>		
<i>expression</i>	→	( <i>expression</i> )
<i>expression</i>	→	<b>id</b>
<i>expression</i>	→	<b>builtin</b> ( <i>optional-expressions</i> )
<i>expression</i>	→	<b>INVOCA id</b> ( <i>optional-expressions</i> )
<i>expression</i>	→	<i>literal</i>
<i>expression</i>	→	<i>expression</i> [ <i>expression</i> ]
<i>expression</i>	→	<i>expression</i> <b>binop</b> <i>expression</i>
<i>expression</i>	→	<b>unop</b> <i>expression</i>
<i>literal</i>	→	<b>string</b>
<i>literal</i>	→	<b>numeral</b>
<i>literal</i>	→	<b>bool</b>
<i>literal</i>	→	[ <i>optional-expressions</i> ]
<i>literal</i>	→	[ <i>expression</i> <b>VSQVE</b> <i>expression</i> ]
<b>Lists</b>		
<i>optional-ids</i>	→	<i>ids</i>
<i>optional-ids</i>	→	
<i>ids</i>	→	<b>id</b> , <i>ids</i>
<i>ids</i>	→	<b>id</b>
<i>optional-expressions</i>	→	<i>expressions</i>
<i>optional-expressions</i>	→	
<i>expressions</i>	→	<i>expression</i> , <i>expressions</i>
<i>expressions</i>	→	<i>expression</i>

- **newline:**  
Newlines are combined, so a single newline is the same as multiple.
- **module-name:**  
Modules are flags given to the interpreter/compiler, to let it know you want to be using certain rules, functions, or features.
- **id:**  
Variable. Can only consist of lowercase characters and underscores, but not the letters j, u, or w.
- **builtin:**  
Builtin functions are uppercase latin words.
- **string:**  
Any text encased in " characters.
- **numeral:**  
Roman numerals consisting of the uppercase characters I, V, X, L, C, D, and M. Can also include underscore if the module MAGNVM.
- **bool:**  
VERITAS or FALSITAS.